

■PCR等検査実施状況

期間	病院・診療所分				検体採取センター分				保健所検査分				合計			
	検査数	陰性者数	陽性者数	陽性率(%)	検査数	陰性者数	陽性者数	陽性率(%)	検査数	陰性者数	陽性者数	陽性率(%)	検査数	陰性者数	陽性者数	陽性率(%)
8/30~9/5	732	714	18	2.5	9月26日開設				186	178	8	4.3	918	892	26	2.8
9/6~9/12	676	649	27	4.0					163	158	5	3.1	839	807	32	3.8
9/13~9/19	679	658	21	3.1					175	167	8	4.6	854	825	29	3.4
9/20~9/26	522	510	12	2.3	4	4	0	0.0	96	94	2	2.1	622	608	14	2.3
9/27~10/3	1,034	932	102	9.9	25	24	1	4.0	79	77	2	2.5	1,138	1,033	105	9.2
10/4~10/10	1,012	955	57	5.6	23	22	1	4.3	253	250	3	1.2	1,288	1,227	61	4.7
10/11~10/17	1,120	1,037	83	7.4	26	25	1	3.8	46	44	2	4.3	1,192	1,106	86	7.2
10/18~10/24	1,021	957	64	6.3	21	19	2	9.5	144	137	7	4.9	1,186	1,113	73	6.2
10/25~10/31	1,153	1,104	49	4.2	16	14	2	12.5	56	55	1	1.8	1,225	1,173	52	4.2
11/1~11/7	1,045	965	80	8.0	12	11	1	8.3	45	45	0	0.0	1,102	1,021	81	7.4
11/8~11/14	956	876	80	8.4	21	19	2	9.5	376	372	4	1.1	1,353	1,267	86	6.4
11/15~11/21	1,229	1,107	122	9.9	28	26	2	7.1	79	79	0	0.0	1,336	1,212	124	9.3
11/22~11/28	1,414	1,326	88	6.2	27	21	6	22.2	64	60	4	6.3	1,505	1,407	98	6.5
11/29~12/5	1,338	1,249	89	6.7	32	29	3	9.4	469	453	16	3.4	1,839	1,731	108	5.9
12/6~12/12	1,229	1,119	110	9.0	37	34	3	8.1	107	104	3	2.8	1,373	1,257	116	8.4
12/13~12/19	1,407	1,248	159	11.3	20	17	3	15.0	530	511	19	3.6	1,957	1,776	181	9.2
12/20~12/26	2,092	1,897	195	9.3	45	31	14	31.1	282	277	5	1.8	2,419	2,205	214	8.8
12/27~1/2	1,315	1,116	199	15.1	19	17	2	10.5	571	503	68	11.9	1,905	1,636	269	14.1
1/3~1/9	1,990	1,522	468	23.5	61	44	17	27.9	227	197	30	13.2	2,278	1,763	515	22.6
1/10~1/16	2,047	1,683	364	17.8	49	38	11	22.4	189	175	14	7.4	2,285	1,896	389	17.0
1/17~1/23	2,053	1,812	241	11.7	51	48	3	5.9	132	117	15	11.4	2,236	1,977	259	11.6
1/24~1/30	1,907	1,686	221	11.6	56	48	8	14.3	281	265	16	5.7	2,244	1,999	245	10.9
1/31~2/6	2,536	2,370	166	6.5	78	69	9	11.5	232	214	18	7.8	2,846	2,653	193	6.8
2/7~2/13	2,070	1,941	129	6.2	45	43	2	4.4	185	182	3	1.6	2,300	2,166	134	5.8
2/14~2/20	1,680	1,580	100	6.0	37	37	0	0.0	84	84	0	0.0	1,801	1,701	100	5.6
2/21~2/27	1,443	1,374	69	4.8	37	32	5	13.5	16	15	1	6.3	1,496	1,421	75	5.0
2/28~3/6	1,422	1,343	79	5.6	36	36	0	0.0	36	36	0	0.0	1,494	1,415	79	5.3

3/7~3/13	1,336	1,264	72	5.4	37	37	0	0.0	103	103	0	0.0	1,476	1,404	72	4.9
3/14~3/20	1,535	1,465	70	4.6	28	26	2	7.1	79	75	4	5.1	1,642	1,566	76	4.6
3/21~3/27	1,304	1,219	85	6.5	38	36	2	5.3	143	142	1	0.7	1,485	1,397	88	5.9
3/28~4/3	1,258	1,180	78	6.2	23	22	1	4.3	140	138	2	1.4	1,421	1,340	81	5.7
4/4~4/10	1,339	1,235	104	7.8	28	23	5	17.9	61	61	0	0.0	1,428	1,319	109	7.6
4/11~4/17	1,582	1,439	143	9.0	53	47	6	11.3	25	25	0	0.0	1,660	1,511	149	9.0
4/18~4/24	1,896	1,708	188	9.9	109	104	5	4.6	131	130	1	0.8	2,136	1,942	194	9.1
4/25~5/1	1,735	1,541	194	11.2	74	71	3	4.1	200	193	7	3.5	2,009	1,805	204	10.2
5/2~5/8	1,723	1,536	187	10.9	55	52	3	5.5	191	189	2	1.0	1,969	1,777	192	9.8
5/9~5/15	1,818	1,701	117	6.4	79	69	10	12.7	162	161	1	0.6	2,059	1,931	128	6.2
5/16~5/22	1,572	1,468	104	6.6	69	59	10	14.5	330	326	4	1.2	1,971	1,853	118	6.0
5/23~5/29	1,683	1,577	106	6.3	42	37	5	11.9	118	117	1	0.8	1,843	1,731	112	6.1
5/30~6/5	1,353	1,283	70	5.2	32	31	1	3.1	17	17	0	0.0	1,402	1,331	71	5.1
6/6~6/12	1,403	1,328	75	5.3	35	35	0	0.0	141	141	0	0.0	1,579	1,504	75	4.7
6/13~6/19	1,702	1,640	62	3.6	36	36	0	0.0	81	81	0	0.0	1,819	1,757	62	3.4
6/20~6/26	1,730	1,630	100	5.8	24	22	2	8.3	430	428	2	0.5	2,184	2,080	104	4.8
6/27~7/3	1,440	1,316	124	8.6	46	43	3	6.5	293	291	2	0.7	1,779	1,650	129	7.3
7/4~7/10	1,506	1,371	135	9.0	40	37	3	7.5	190	189	1	0.5	1,736	1,597	139	8.0
7/11~7/17	1,688	1,460	228	13.5	70	61	9	12.9	203	193	10	4.9	1,961	1,714	247	12.6
7/18~7/24	1,483	1,185	298	20.1	79	69	10	12.7	10	10	0	0.0	1,572	1,264	308	19.6
7/25~7/31	2,633	1,987	646	24.5	74	60	14	18.9	25	25	0	0.0	2,732	2,072	660	24.2
8/1~8/7	2,946	2,070	876	29.7	61	48	13	21.3	29	28	1	3.4	3,036	2,146	890	29.3
8/8~8/14	3,063	2,286	777	25.4	40	29	11	27.5	19	16	3	15.8	3,122	2,331	791	25.3
8/15~8/21	3,859	2,836	1,023	26.5	102	79	23	22.5	90	79	11	12.2	4,051	2,994	1,057	26.1
8/22~8/28	3,454	2,616	838	24.3	113	87	26	23.0	29	29	0	0.0	3,596	2,732	864	24.0
8/29~9/4	3,531	3,003	528	15.0	62	47	15	24.2	96	94	2	2.1	3,689	3,144	545	14.8
9/5~9/11	2,455	2,164	291	11.9	37	36	1	2.7	39	37	2	5.1	2,531	2,237	294	11.6
9/12~9/18	2,247	2,079	168	7.5	32	29	3	9.4	96	94	2	2.1	2,375	2,202	173	7.3
9/19~9/25	1,555	1,497	58	3.7	14	14	0	0.0	0	0	0	0.0	1,569	1,511	58	3.7
9/26~10/2	1,768	1,717	51	2.9	13	13	0	0.0	14	13	1	7.1	1,795	1,743	52	2.9
10/3~10/9	1,737	1,710	27	1.6	9	9	0	0.0	0	0	0	0.0	1,746	1,719	27	1.5

10/10~10/16	1,661	1,644	17	1.0	9	9	0	0.0	0	0	0	0.0	1,670	1,653	17	1.0
10/17~10/23	1,392	1,381	11	0.8	9	8	1	11.1	0	0	0	0.0	1,401	1,389	12	0.9
10/24~10/30	1,481	1,471	10	0.7	9	9	0	0.0	0	0	0	0.0	1,490	1,480	10	0.7
10/31~11/6	1,427	1,422	5	0.4	5	5	0	0.0	0	0	0	0.0	1,432	1,427	5	0.3
11/7~11/13	1,523	1,521	2	0.1	6	5	1	16.7	0	0	0	0.0	1,529	1,526	3	0.2
11/14~11/20	1,188	1,186	2	0.2	15	15	0	0.0	0	0	0	0.0	1,203	1,201	2	0.2
11/21~11/27	1,087	1,085	2	0.2	9	9	0	0.0	0	0	0	0.0	1,096	1,094	2	0.2
11/28~12/4	1,352	1,349	3	0.2	11	11	0	0.0	8	8	0	0.0	1,371	1,368	3	0.2
12/5~12/11	1,258	1,255	3	0.2	9	9	0	0.0	19	19	0	0.0	1,286	1,283	3	0.2
12/12~12/18	1,318	1,312	6	0.5	14	14	0	0.0	7	7	0	0.0	1,339	1,333	6	0.4
12/19~12/25	1,222	1,220	2	0.2	27	27	0	0.0	7	7	0	0.0	1,256	1,254	2	0.2
12/26~1/1	1,174	1,162	12	1.0	34	34	0	0.0	20	20	0	0.0	1,228	1,216	12	1.0
1/2~1/8	1,804	1,694	110	6.1	28	28	0	0.0	15	14	1	6.7	1,847	1,736	111	6.0
1/9~1/15	3,402	2,769	633	18.6	70	51	19	27.1	143	138	5	3.5	3,615	2,958	657	18.2
1/16~1/22	6,358	4,284	2,074	32.6	119	63	56	47.1	50	48	2	0.0	6,527	4,395	2,132	32.7
1/23~1/29	7,972	4,857	3,115	39.1	224	110	114	50.9	0	0	0	0.0	8,196	4,967	3,229	39.4
1/30~2/5	7,380	3,914	3,466	47.0	249	97	152	61.0	0	0	0	0.0	7,629	4,011	3,618	47.4
2/6~2/12	6,164	3,146	3,018	49.0	231	90	141	61.0	0	0	0	0.0	6,395	3,236	3,159	49.4
2/13~2/19	5,593	2,726	2,867	51.3	238	80	158	66.4	0	0	0	0.0	5,831	2,806	3,025	51.9
2/20~2/26	5,624	3,171	2,453	43.6	154	79	75	48.7	0	0	0	0.0	5,778	3,250	2,528	43.8
2/27~3/5	5,253	3,164	2,089	39.8	143	65	78	54.5	0	0	0	0.0	5,396	3,229	2,167	40.2
3/6~3/12	5,078	3,106	1,972	38.8	95	39	56	58.9	0	0	0	0.0	5,173	3,145	2,028	39.2
3/13~3/19	4,516	2,726	1,790	39.6	110	51	59	53.6	0	0	0	0.0	4,626	2,777	1,849	40.0
3/20~3/26	3,401	2,097	1,304	38.3	57	29	28	49.1	0	0	0	0.0	3,458	2,126	1,332	38.5
3/27~4/2	4,476	2,815	1,661	37.1	57	27	30	52.6	0	0	0	0.0	4,533	2,842	1,691	37.3
4/3~4/9	4,041	2,475	1,566	38.8	63	27	36	57.1	0	0	0	0.0	4,104	2,502	1,602	39.0
4/10~4/16	4,206	2,924	1,282	30.5	97	57	40	41.2	0	0	0	0.0	4,303	2,981	1,322	30.7
4/17~4/23	3,403	2,463	940	27.6	75	52	23	30.7	0	0	0	0.0	3,478	2,515	963	27.7
4/24~4/30	3,207	2,446	761	23.7	45	37	8	17.8	0	0	0	0.0	3,252	2,483	769	23.6
5/1~5/7	2,215	1,690	525	23.7	23	12	11	47.8	0	0	0	0.0	2,238	1,702	536	23.9
5/8~5/14	3,114	2,468	646	20.7	45	37	8	17.8	0	0	0	0.0	3,159	2,505	654	20.7

5/15~5/21	3,254	2,636	618	19.0	20	16	4	20.0	0	0	0	0.0	3,274	2,652	622	19.0
5/22~5/28	3,328	2,779	549	16.5	26	13	13	50.0	0	0	0	0.0	3,354	2,792	562	16.8
5/29~6/4	2,738	2,357	381	13.9	32	25	7	21.9	0	0	0	0.0	2,770	2,382	388	14.0
6/5~6/11	2,443	2,160	283	11.6	19	15	4	21.1	0	0	0	0.0	2,462	2,175	287	11.7
6/12~6/18	2,446	2,217	229	9.4	13	11	2	15.4	0	0	0	0.0	2,459	2,228	231	9.4
合計	214,955	169,333	45,622	21.2	4,750	3,342	1,408	29.6	8,857	8,535	322	3.6	228,562	181,210	47,352	20.7